By PDR, LLC



Extra Large Throw 63-1/2" x 76"



Please read all instructions carefully AND identify all fabrics before beginning. WOF = width of fabric. All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

#### 1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - Fussy cut panel to 22" x 40-1/2"

**Fabric B** - *PLEASE NOTE: Panels do not always print the size* intended. For this pattern, **Fabric B** panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 2 panels 22" wide and approximately 9" tall. Fussy cut 1/4" beyond outside edges of 4 panels to approximately 11-1/2" square

**Fabric C** - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (4) 5-1/2" x 50" lake stripe strips. Sew 2 strips together end to end matching design and cut into (1) 5-1/2" x 61" lake stripe border. Repeat to make a second border.

Fabrics D and G - From each fabric: Cut (4) 2-1/2" strips, subcut (16) 2-1/2" x 6-1/2" pieces and (16) 2-1/2" squares

Fabric E - Cut (2) 2-1/2" strips, subcut (8) 2-1/2" x 6-1/2" pieces and (8) 2-1/2" squares

**Fabrics F and H** - From each fabric: Cut (6) 2-1/2" strips, subcut (24) 2-1/2" x 6-1/2" pieces and (24) 2-1/2" squares

Fabric I - Cut (8) 2-1/2" strips (binding)

Fabric J - Cut (3) 2-1/2" strips, subcut (44) 2-1/2" squares Cut (6) 1-1/4" strips, subcut (8) 1-1/4" x 13" and (8) 1-1/4" x 12" strips

Fabric K - Cut (10) 4-1/2" strips, subcut (88) 4-1/2" squares


Cut (3) 2-1/2" strips, sewn together end to end and cut into (2) 2-1/2" x 62" borders

Cut (10) 2" strips, sewn together end to end and cut into (2) 2" x 73-1/2", (2) 2" x 64", and (2) 2" x 61" borders

Cut (4) 1-1/2" strips, subcut (4) 1-1/2" x 22" strips

#### 2. Piecing Order:

1. Stitch **Fabric J** 1-1/4" x 12" strips to sides of a 11-1/2" square **Fabric B** panel. Trim strip ends even. Add 1-1/4" x 13" **Fabric J** strips to top and bottom of panel. Trim bordered panel to 12-1/2" (unfinished). Make a total of 4 Panel Blocks.



Panel Block - Make 4

Arrows and stripes indicate orientation of directional prints. Letters in italics indicate wrong side of fabric.

2. Sew a Fabric J 2-1/2" square between 2 Fabric D 2-1/2" squares. Unit 1a - Make 8 Make a total of 8 Unit 1a (2-1/2" x 6-1/2" unfinished). In the same manner, make 12 Unit 1b, 12 Unit 1c, 8 Unit 1d, and 4 Unit 1e with fabrics indicated.



3. Stitch Fabric D 2-1/2" x 6-1/2" strips to long edges of a Unit 1a. Make a total of 8 Unit 2a (6-1/2" square unfinished). In the same manner, make 12 Unit 2b, 12 Unit 2c, 8 Unit 2d, and 4 Unit 2e with units and fabrics indicated.



Unit 2a - Make 8









Unit 2b - Make 12

Unit 2c - Make 12

Unit 2d - Make 8

Unit 2e - Make 4

4. Draw a diagonal line across the wrong side of 44 Fabric K 4-1/2" squares. Draw a diagonal





line in the opposite direction on wrong side of the other 44 Fabric K 4-1/2" squares.

5. Arrange a marked **Fabric K** 4-1/2" square on a Unit 2a as shown. Stitch along the marked line. Trim seam allowance to 1/4". Press corner out. Repeat on opposite corner. Make a total of 4 Block 1a (6-1/2" square unfinished).









Arrows and stripes indicate orientation of directional prints. Letters in italics indicate wrong side of fabric.

6. In the same manner, make the number of Blocks 1b-1e with Fabric K 4-1/2" squares and units indicated.









Block 1b - Make 6

Block 1c- Make 6

Block 1d - Make 4

Block 1e - Make 2

7. In the same manner, make the number of Blocks 2a-2e with Fabric K 4-1/2" squares and units indicated noting orientation of **K** triangles.



Block 2a - Make 4









Block 2b - Make 6

Block 2c- Make 6


Block 2d - Make 4

Block 2e - Make 2

- 8. Refer to Quilt Layout (Page 3) for arrangement and placement of strips, panel, blocks, and borders.
- 9. Sew **Fabric K** 1-1/2" x 22" strips to top and bottom of the **Fabric A** 22" x 40-1/2" panel. Add Fabric B 9" x 22" panels to top and bottom. Add **Fabric K** 1-1/2" x 22" strips to top and bottom. Sew Fabric K 2-1/2" x 62" strips to long sides of the panels. Trim quilt center to 25" x 60-1/2" (unfinished).
- 10. On each side of quilt center, arrange 2 Panel Blocks, 2 Block 1a, 3 Block 1b, 3 Block 1c, 2 Block 1d, 1 Block 1e, 2 Block 2a, 3 Block 2b, 3 Block 2c, 2 Block 2d, and 1 Block 2e in 10 horizontal rows as shown.
- 11. On each side of the guilt center, stitch together the **Blocks 1a** and **1b** on right or left side of a Panel Block. On each side of the guilt center, stitch together the Blocks 2a and 2b on right or left side of a Panel Block.
- 12. Stitch blocks into rows. Sew rows together into side borders (18-1/2" x 60-1/2" unfinished). Sew borders to right and left sides of the quilt center.
- 13. Sew **Fabric K** 2"x 61" borders to top and bottom of quilt. Add Fabric C 5-1/2" x 61" borders to top and bottom of quilt.
- 14. Sew **Fabric K** 2" x 73-1/2" borders to right and left sides of quilt. Add Fabric K 2" x 64" borders to top and bottom of quilt.
- 15. The quilt measures approximately 64" x 76-1/2" (unfinished). Make backing (**Fabric L**) approximately 8" larger than the top.
- 16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric I) and enjoy!!

### **QUILT LAYOUT**

Border measurements are the cut size. Arrows and stripes indicate orientation of directional prints.




By PDR, LLC



Fabric A 3057-59031-441 2/3 yard (1 Panel)



Fabric B 3057-59032-414 2/3 yard (1 Panel)



Fabric C 3057-59033-441 1-5/8 yards



Fabric D 3057-59034-414 3/8 yard



Fabric E 3057-59035-914 1/4 yard (or Fat Quarter)



Fabric F 3057-59036-414 5/8 yard



Fabric G 3057-59036-919 3/8 yard



Fabric H 3057-59037-441 5/8 yard



Fabric I 3057-59039-444 2/3 yard (Binding Only)



Fabric J 3057-59041-440 5/8 yard



Fabric K 3057-59041-990 2-1/2 yards

#### Quilter's Choice

Fabric L Backing 44/45" - 4-1/8 yards 108" - 2-1/8 yards



