

# BARN FRIENDS

Designed by Ariga Mahmoudlou for RK Featuring  
[www.robertkaufman.com](http://www.robertkaufman.com)

## down on the farm



Finished quilt measures: 46" x 53"



Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AZND-18323-276 COUNTRY	2/3 yard (one full panel)		D	K001-405 ALEGRIA	1/4 yard
	B	AZND-18324-238 GARDEN	1/4 yard		E	K001-458 STORM	1-5/8 yard
	C	K001-497 NIAGARA	1/4 yard		Binding*	AZND-18324-238 GARDEN <i>*Also used for Fabric B</i>	1/2 yard
<p>Copyright 2018, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3 yards for backing</p>			

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

### Cutting Instructions

**From Fabric A, fussy cut:**

two 13-1/2" x 11-1/2" rectangles  
two 13-1/2" x 23-1/2" rectangles

**From Fabric B, cut:**

four 1-1/2" x WOF strips. Subcut:  
eight 1-1/2" x 8-1/2" strips  
eight 1-1/2" x 10-1/2" strips

**From each of Fabrics C and D, cut:**

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

Trim the remainder of the strip to 3" wide, then subcut:

eight 3" squares for the HSTs

one 3" x WOF strip. Subcut:

eight 3" squares for the HSTs, for a total of sixteen

**From Fabric E, cut:**

one 6" x WOF strip. Subcut:

two 6" x 16-1/2" rectangles

one 4" x WOF strip. Subcut:

eight 4" squares for the HSTs

two 3-1/2" x WOF strips. Subcut:

four 3-1/2" x 13-1/2" rectangles

four 3-1/2" squares

two 3" x WOF strips. Subcut:

sixteen 3" squares for the HSTs

seven 2-1/2" x WOF strip. Subcut:

two 2-1/2" x 12-1/2" rectangles

sixteen 2-1/2" squares

Sew the remaining five strips together, end-to-end, then trim to make:

two 2-1/2" x 53-1/2" side outer borders

two 2-1/2" x 42-1/2" top/bottom outer borders

four 2" x WOF strips. Subcut:

four 2" x 13-1/2" rectangles

eight 2" x 10-1/2" rectangles

two 1-1/2" x WOF strips. Subcut:

four 1-1/2" x 13-1/2" rectangles

**From the Binding Fabric, cut:**


six 2-1/2" x WOF strips

## Assemble the Blocks

**Step 1:** Pair a 3" Fabric C square with a 3" Fabric E square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make sixteen C/E HSTs.



**Step 2:** Repeat Step 1 make sixteen C/D HSTs and sixteen D/E HSTs.



**Step 3:** Repeat Step 1 with the 4" squares to make:



four C/D HSTs




four D/E HSTs



four C/E HSTs

Trim each of these HSTs to 3-1/2" square. Set these HSTs aside until Step 5.



**Step 4:** Gather the following 2-1/2" units:

four Fabric E squares

four C/D HSTs

four D/E HSTs

four C/E HSTs

Arrange in four rows of four, following the Block Assembly Diagram. Note the fabric placement and block orientation in the diagram. Sew the squares together to form rows, pressing the seams in opposite directions every other row. Sew the rows together, nesting the seams and pressing the row seams to one side. The block should measure 8-1/2" square at this point.

**Step 5:** Sew a 1-1/2" x 8-1/2" Fabric B strip to the left and right edge of the block. Press. Sew a 1-1/2" x 10-1/2" Fabric B strip to the top and bottom edge of the block. Press. Sew a 2" x 10-1/2" Fabric E strip to the top and bottom edge of the block. Press.

Repeat Steps 4 and 5 to make four Blocks. Each block will measure 10-1/2" x 13-1/2".

**Step 6:** Gather the following 3-1/2" units:

four Fabric E squares


four C/D HSTs

four D/E HSTs

four C/E HSTs

Arrange in four rows of four, following the Block Assembly Diagram. Note the fabric placement and block orientation in the diagram. Sew the squares together to form rows, pressing the seams in opposite directions every other row. Sew the rows together, nesting the seams and pressing the row seams to one side. The block should measure 12-1/2" square at this point.

**Step 7:** Sew a 2-1/2" x 12-1/2" Fabric E strip to the left and right edge of the block. Press. Sew a 6" x 16-1/2" Fabric E strip to the top and bottom edge of the block. Press.



## Assemble the Quilt



**Step 8:** Arrange the pieced blocks and panel blocks in three rows, incorporating the Fabric E strips as shown, following the Quilt Assembly Diagram. Sew the quilt center together in rows, placing a 2" x 13-1/2" Fabric E strip at the beginning and end of Rows 1 and 3 and 3-1/2" x 13-1/2" Fabric E strips between the blocks in these rows. Press toward the sashing.

**Step 9:** Sew the three quilt center rows together. Press.

**Step 10:** Sew the top and bottom outer borders to the quilt center. Press toward the borders. Sew the side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2018. All rights reserved.